


60 Series

Data Sheet




LUMENLOOP



KEY FEATURES

- Professional, high performance LED downlight
- Minimalist die-cast bezel in white RAL 9010
- UB bezel option to accept a range of accessories
- Philips DLM LED module and driver system
- 75° highly specular reflector with an outstanding efficiency of 96%
- Nominal rated life >60,000 hrs @ L70/B10
- DALI, emergency and wireless control options

DIMENSIONS



ORDERING INFORMATION


Luminaire output (lm)	Colour temp	Luminaire power (tcW)	Luminaire efficacy (lm/tcW)	Model ref.
1075	830	9.5	113	60.1100.30
1150	840	9.5	121	60.1100.40
1850	830	17.5	106	60.2000.30
2025	840	17.5	116	60.2000.40
2850	830	30.0	95	60.3000.30
3075	840	30.0	103	60.3000.40
4425	830	46.0	96	60.5000.30
4800	840	46.0	104	60.5000.40

OPTIONS

Options	Suffix
Universal bezel	/UB
Control gear	/T+DALI, /BTC
Emergency - Remote indicator	/EM, /EMD
Emergency - Integral indicator	/EMI, /EMDI
Product variations available	PV.

60 Series

Options & accessories



Touch Dimming

OR



/T+DALI

Touch dimming or DALI control gear



CASAMBI

/BTC

Casambi wireless network inc. dimming



/EM

Emergency Remote indicator



/EMD

DALI / Self test EM Remote indicator



/EMI

Emergency Integral indicator



/EMDI

DALI / Self test EM Integral indicator



/UB

Universal bezel to accept decorative accessories



DA001

Clear acrylic



DA002

Opal acrylic



DA003

Clear acrylic square halo



DA004

Opal acrylic square halo

60 Series

Options



Made in the UK

PV - PRODUCT VARIATIONS



PV - Contact Sales
Any RAL colour bezel




PV - Contact Sales
Black reflector



PV - Contact Sales
Choice of connectors



PV - Contact Sales
LSOH / LSF cable




PV - Contact Sales
High ambient
temperatures

RELATED PRODUCTS



See 113 Series
Tridonic



See 113 Series
Tunable white

Please note: Specification values may change due to rapid development of lighting technology. All performance data is taken at an ambient temperature of +25°C. Data may be rounded up/down for illustrative purposes. We reserve the right to amend or change details without prior notification. E&OE.